

X

इंटरनेट

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

"जानने का अधिकार, जीने का अधिकार" Mazdoor Kisan Shakti Sangathan "The Right to Information, The Right to Live"

 $\star \star \star \star \star \star \star \star$

"पुराने को छोड नये के तरफ" Jawaharlal Nehru "Step Out From the Old to the New"

मानक

IS 1200-24 (1983): Method of measurement of building and civil engineering works, Part 24: well foundations [CED 44: Methods of Measurement of Works of Civil Engineering]

> "ज्ञान से एक नये भारत का निर्माण″ Satyanarayan Gangaram Pitroda "Invent a New India Using Knowledge"

RIGHT TO INFORMATION "ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता Bhartrhari-Nītiśatakam "Knowledge is such a treasure which cannot be stolen"









611111111

Made Available By Public.Resource.Org

 $\star \star \star \star \star \star \star \star$





BLANK PAGE



PROTECTED BY COPYRIGHT

IS: 1200 (Part 24) -1983 (Reaffirmed 2007)

Indian Standard

METHOD FOR MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART 24 WELL FOUNDATIONS

(*Third Revision*)

Fourth Reprint NOVEMBER 2003

UDC 69.003.12 : 624.156.8

© Copyright 1983

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

December 1983

IS: 1200 (Part 24) - 1983

Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART 24 WELL FOUNDATIONS

(Third Revision)

Method of Measurement of Works of Civil Engineering (Excluding River Valley Projects), BDC 44

Chairman	Representing	
SHRI A. C. PANCHDHARY	Central Vigilance Commission (Ministry of Home Affairs)	
Members		
Adhishasi Abhayanta (Parshiksan)	Public Works Department (Government of Uttar Pradesh), Lucknow	
DEPUTY DIRECTOR (GAWESH	AN) (Alternate)	
SHRI B. G. AHUJA SHRI K. D. ARCOT SURY T. V. SUTADAW (Aligned	Builder's Association of India, Bombay Engineers India Limited, New Delhi	
SHRII. V. SITARAM (Atternat	C) Develou Dest Truck Bembau	
SHRIG. D. DAJAJ	Coloute Port Trust, Dombay	
SHRI S. K. CHAKRABORTY Subi C. K. Draubandu	Bublic Works Department Covernment of	
SHRI G. N. DESHI ANDE	Maharashtra, Bombay	
DIRECTOR, IRI, ROORKEE	Irrigation Department, Government of Uttar Pradesh, Lucknow	
DIRECTOR (RATES AND COSTS) DEPUTY DIRECTOR (RATES AND COSTS) (Allernate)	Central Water Commission, New Delhi	
SHRIP. N. GADI	Institution of Surveyors, New Delhi	
SHRID, S. TAMBANKAR (Alta	mate)	
SHRI P. S. HARI RAO	Hindustan Construction Co Ltd. Bombay	
SHRI N. M. DASTANE (Alterno	ate)	
Shri M. L. Jain	National Industrial Development Corporation Ltd, New Delhi	
JOINT DIRECTOR (D) SHRI A. K. LAL (Alternate)	National Buildings Organization, New Delhi	
SERI H. K. KHOSLA SUPERINTENDING ENGINEER (PLANNING) (Aliernate)	Haryana Irrigation Department, Chandigarh	
	(Continued on page 2)	
	(Continued on page	

© Copyright 1983 BUREAU OF INDIAN STANDARDS

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 1200 (Part 24) - 1983

(Continued from page 1)

Members Representing Institution of Engineers (India), Calcutta SHRI S. K. LAHA SHEI V. D. LONDHE Concrete Association of India, Bombay SHBI N. C. DUGGAL (Alternate) SHRI DATTA S. MALIK Indian Institute of Architects, Bombay PROF M. K. GODBOLE (Alternate) SHEI B. S. MATHUR Ministry of Shipping and Transport (Roads Wing) SHBIR. G. THAWANI (Alternate) SHRI R. S. MURTHY Gammon India Ltd, Bombay SHBI H. D. MATANGE (Alternate) SHRI C. B. PATEL M. N. Dastur and Co Ltd, Calcutta SHRI B. C. PATEL (Alternate) SHRI V. G. PATWARDHAN Engineer-in-Chief's Branch (Ministry of Defence), New Delhi SHRI G. G. KARMARKAR (Alternate) Bureau of Public Enterprises, New Delhi SHRI T. S. RATNAM Banaras Hindu University, Banaras DR R. B. SINGH SHBI R. A. SUBRAMANIAM Hindustan Steelworks Construction Ltd. Calcutta SUPERINTENDING SURVEYOR OF Central Public Works Department, New Delhi WORKS (AVI) SURVEYOR OF WORKS I (AVI) (Alternate) Bhakra Management Board, Nangal Township SHRI J. C. VERMA SHRI R. M. JOLLY (Alternate) Director General, ISI (Ex-officio Member) SHRI G. RAMAN, Director (Civ Engg)

Secretary

SHRI K. M. MATHUR Senior Deputy Director (Civ Engg), ISI

AMENDMENT NO. 1 OCTOBER 1989 TO IS : 1200 (Part 24) - 1983 METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS PART 24 WELL FOUNDATIONS (Third Revision)

(Page 5, clause 2.5.1) — Substitute the following for the existing Note:

'NOTE — These conditions shall also include removing obstructions other than those which are removed by mechanical or any other special method (see 2.7).'

(BDC 44)

Printed at Prabhat Offset Press, New Delhi-2

Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART 24 WELL FOUNDATIONS

(Third Revision)

0. FOREWORD

0.1 This Indian Standard (Part 24) (Third Revison) was adopted by the Indian Standards Institution on 11 October 1983, after the draft finalized by the Method of Measurement of Works of Civil Engineering (Excluding River Valley Projects) Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Measurement occupies a very important place in the planning and execution of any civil engineering work from the time of first estimates to the final completion and settlement of payments project. Methods followed for measurement are not uniform and considerable differences exist between practices followed by different construction agencies and also between various Central and State Government Departments and their undertakings. While it is recognized that each system of measurement has to be specifically related to administrative and financial organizations within a department responsible for the work, a unification of the various system at technical levels has been accepted as very desirable, specially as it permits a wider range of operation for civil engineering contractors and eliminates ambiguities and misunderstandings arising out of inadequate understanding of various systems followed.

0.3 Among various engineering items, measurement of buildings was the first to be taken up for standardization and this standard having provisions relating to building works was first published in 1958 and was revised in 1964.

0.4 In the course of usage of this standard by various construction agencies in the country, several clarifications and suggestions for modifications were received and as a result of study, the technical committee responsible for this standard decided that scope of this standard, besides being applicable to buildings, should be expanded to cover method of measurement of civil engineering works like industrial and river valley project works and accordingly second revision of this standard was taken up.

IS : 1200 (Part 24) - 1983

0.4.1 Since different trades are not related to one another, the Sectional Committee during its second revision decided that for each trade as given in IS: 1200-1964* separate standards shall be issued as different parts as it would be helpful to users in using the specific standard. This Part 24 covering method of measurement of well foundation applicable to buildings as well as to civil engineering works was published in 1971. In view of the large number of comments received on this standard (Part 24) the Sectional Committee decided to revise this Part incorporating the changes to keep the latest method as being followed by most of the organizations.

0.5 In case of such works, it is desired that the following information be also made available:

- i) A general description of the nature of the work at site and the cross-section of the river bed showing therein the low water level and high flood level;
- ii) Water logging whether due to nature of the soil or any other reason; and
- iii) The strata through which wells are likely to be sunk or reference showing records of bores.

0.6 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a measurement, shall be rounded off in accordance with IS: 2-1960[†]. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard (Part 24) covers the method of measurement of well foundations.

2. GENERAL

2.1 Clubbing of Items — Items may be clubbed together provided these are basis of the detailed description of the items stated in this standard.

2.2 Booking of Dimensions — In booking dimensions, the order shall be consistent and generally in the sequence of length, width and height or depth or thickness.

^{*}Method of measurement of building and civil engineering works (first revision). †Rules for rounding off numerical values (revised).

2.3 Description of Items — The description of each item shall, unless otherwise stated, be held to include where necessary, conveyance and delivery, handling, loading, unloading, storing, fabrication, hoisting, all labour for finishing to required shape and size, setting, fitting and fixing in position, straight cutting and waste.

2.4 Measurements — All work shall be measured net in decimal system as fixed in its place as given below:

- a) Linear dimensions shall be measured to the nearest 0.01 metre,
- b) Areas shall be worked out to the nearest 0.01 square metre, and
- c) Cubic contents shall be worked to the nearest 0 01 cubic metre.

2.5 Work Measured Separately — Unless otherwise clubbed under **2.1**, the work executed in the following conditions shall be measured separately:

- a) Work in dry soil,
- b) Work in wet soil (30 cm above subsoil water),
- c) Work in or under foul positions, and
- d) Work interrupted by tides.

2.5.1 The levels of high and low water/tides where occurring, shall be stated.

Note — These conditions shall also include removing obstruction requiring one tonne chisel for 24 hours (for obstruction other than this, see 2.7).

2.6 Bills of Quantities — The bills of quantities shall fully describe the materials and workmanship, and accurately represent the work to be executed.

2.7 Removal of obstructions other than those mentioned in 2.5 met with during sinking operations shall be measured separately on the basis of quantum meruit.

3. WELL SINKING

3.1 The item of well sinking shall include use of kentiledge to the extent required for sinking and correcting the well in position.

3.2 The provision of island, if required, shall be measured separately.

3.3 The sinking shall be measured in running metres stating the shape and size. For this purpose, measurement shall be taken from the level at which the cutting edge is pitched to the level at which it rests finally.

Note — The level of cutting edge shall be plane joining the lower most portion of the well curb, which cuts into the soil during sinking or acts as a penetration face.

IS: 1200 (Part 24) - 1983

4. STEINING AND CURB

4.1 Concrete/brick work/stone masonry in the steining and concrete in top plug and curb shall be described and measured in cubic metres. The formwork shall be included in the item.

4.2 Concrete in the bottom plug including sump, if any, shall be measured on the basis of cement bags consumed.

4.3 The filling in the well shall be measured in cubic metre stating the type of filling.

4.4 Measurement for the reinforcement including mild steel bars, steel links, binders and steel flats shall be made separately as specified in IS: 1200 (Part 8)-1974*

4.5 Measurement for the steel cutting edge and steel armouring (if done) shall be made separately, as specified in IS : 1200 (Part 8)-1974*.

4.6 Cutting off the extra height of steining where required shall be measured in cubic metres.

5. PNEUMATIC SINKING

5.1 Works executed under different working pressure range (see IS: 4138-1977[†]) shall be measured separately.

5.2 Pneumatic sinking shall be measured in running metres stating the size and shape. The depth of sinking shall be measured from the level at which air is introduced to the level at which air is stopped.

5.3 The following shall be measured separately:

- a) Bringing of and removing the pneumatic sinking plant from the site;
- b) Use of this plant when fitted on well/when not fitted on well (to be measured separately);
- c) Fixing and removing of adopter and airlock:
- d) Corbel slab; and
- e) Keeping the well under pressure during plugging, guniting, repairing, inspection, testing but excluding sinking.

^{*}Method of measurement of building and civil engineering works : Part 8 Steelwork and ironwork (third revision).

[†]Safety code for working in compressed air (*first revision*).

BUREAU OF INDIAN STANDARDS

Headquarters: Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Telephones 23230131, 23233375, 23239402 E-mail: bis@vsnl.com	/ Delhi 110002 Fax 91+011 23234062, 2323939 website <u>http://www.bis.org.in</u>	99, 23239382
Central Laboratory: Plot No 20/9, Site IV Sahibabad Industrial Area, SAHIBABD 201010		Telephone 2770032
Regional Offices:		
Central Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002		
*Eastern, 1/14 CIT Scheme VII M, V I P. Road Kankurgachi, KOLKATA 700054 Northern SCO 335-336, Sector 34-A, Chandigarh 160022 Southern C I T. Campus, IV Cross Road, CHENNAI 600113		23378662
		603843
		254 19 84
Western Manakalaya, E9, MIDC, Behind Marol Andheri (East), MUMBAI 400093	Telephone Exchange,	2832 92 95
Branch offices:		
'Pushpak' Nurmohamed Shaikh Marg, Khanpur, AHMEDABAD 380001		
Peenya Industrial Area, 1 ^e Stage, Bangalore-Tumkur Road, BANGALORE		839 49 55
Commercial-cum-office Complex, opp Dushera M	laidan, Arera Colony,	242 34 52
62/63 Ganga Nagar Ligit VI BHUBANESHWAR	751001	240 3130
5 TH Eloor Koval Toware 44 Rala Sundaram Road COMBATORE 641018		240 3139
SCO 21. Sector 12. Faridabad 121007		2292175
Savitri Complex 116 G T. Boad Ghaziabad 201001		2861498
53/5 Ward No 29, R G Baraua Road 5 by-lane, Apurba Sinha Path		2541137
GUWAHATI 781003		00004004
5-8-56C LN Gupta Marg, Nampally Station Hoad, HYBERABAD 500001		
E-52, Chitranjan Marg, C-Scheme, JAIPUR 302001		
Soth Phoyon 2 rd Elect. Robind Lools Cinema, Noval Kishara Road		
LUCKNOW 226001	Ival Rishole Hoad,	2213090
NIT Building, Second Floor, Gokulpat Market, NAC	GPUR 440010	2525171
Mahavir Bhavan, First Floor, Ropar Road, NALAGARH 174101		221451
Patliputra Industrial Estate, PATNA 800013		2262808
First Floor, Plot Nos 657-660, Market Yard, Gultkdi, PUNE 411037		4268659
"Sahajanand House" 3 rd Floor, Bhaktinagar Circle, RAJKOT 360002	80 Feet Road,	2378251
T C No 14/1421, University P O Palayam, THIR	UVANANTHAPURAM 695034	2322104
1st Floor, Udyog Bhavan, VUDA, Siripuram Juncti	on, VISHAKHAPATNAM-03	2712833
Sales Office is at 5 Chowringhee Approach, P O	Princep Street, Kolkata 700072	22371085
Sales Office is at Novelty Chambers, Grant Road, MUMBAI 400007		

Printed at Prabhat Offset Press, New Delhi-2